

1U NANO C18L



Our new look Nano is our shortest 1U PC case measuring just 212mm deep. New features include a dual slot width and full height PCI express x16 expansion bay capable of taking Dual Width GFX cards up to 200mm deep. There is an optional two Redundant Hot Swap bays for 2.5" HDDs or Solid State Drives for RAID and two Front USB3.0 ports (not available on C12L model).

For more information on our 1U Nano Rack PC click [See All Models](#) below or [get in touch](#) to discuss your bespoke requirements.

Size: 448(W)x212(D)x44.5(H)mm

Weight: 3.5KG

Hard Disk Bays: 1x 3.5" HDD or 2x 2.5" HDD/SSD

Optical Drive: No DVD Drive Bay

Front USB: 2x USB 3.0 (Not C12)

Power Supply: 180W 110-230VAC

Hot Swap Drives: 2x 2.5" HDD/SSD

Product Details

1U Nano C18L - €319.87

Selected System Specifics

CPU: **Intel N3150 1.6GHz**

RAM: **2GB DDR3 1600MHz SODIMM**

MB IO:

HDD: **500GB 2.5 SATAIII Western Digital Desktop 7200rpm**

RAID: **Not available on this motherboard**

DVD: **No DVD drive bay**

OS: **Not Quoted - Option Available**

GFX Output: **HD Graphics with VGA DVI-D Outputs**

LAN: **2x Realtek GbE LAN**

WLAN: **Not Quoted - USB or PCI(e) Card option**

USB Ports Rear: **2x USB 2.0 2x USB 3.0**

Serial Ports: **2**

Expansion Slot: **Not Quoted - Option Available**

Expansion Slot 2: **Not available with this case**

Expansion Slot 3: **Not available with this case**

Case Information

Size: **448(W)x212(D)x44.5(H)mm**

Weight: **3.5KG**

Hard Disk Bays: **1x 3.5" HDD or 2x 2.5" HDD/SSD**

Optical Drive: **No DVD Drive Bay**

Front USB: **2x USB 3.0 (Not C12)**

Power Supply: **180W 110-230VAC**

Hot Swap Drives: **2x 2.5" HDD/SSD**

PSU: **180W 100-240VAC 60-50Hz**

Lead time:

Noise & Efficiency

All of our PCs are noise tested and have a standard DB rating so you know exactly how loud they will be.

Energy consumption is an important factor in the ongoing cost of running a machine. We use the familiar energy ratings seen on domestic appliances for all of our products. A is most energy efficient whilst G is least efficient.

