

1U PC S523



Our new look 1U PC takes versatility and expansion potential to a new level.

- Up to 3x 3.5" Fixed or 8x 2.5" Hot Swappable HDD/SSDs - or a mixture of both
- Two USB3.0 ports on the front panel
- Dual Width PCI(e) slot suitable for dual width Graphics Cards.
- Tool less quick removable lid
- 'Server' Series motherboards fitted with IPMI management port
- DVD or Blu-ray Optical Drives

It can house a wide variety of different motherboards and each offers different expansion options and I/O ports. So to discuss your requirements or for a bespoke solution please [contact us](#).

Size: 448(W)x357(D)x44.5(H)mm

Hard Disk Bays: 3x 3.5" or 8x 2.5" HDD/SSD

Optical Drive: Slimline DVD/Blu-Ray Optional

Front USB: 2x USB 3.0

Power Supply: 180W 110-230VAC

Product Details

1U PC S523 - €1,030.22

Selected System Specifics

CPU: Intel E5-2620v3 2.4GHz

RAM: 4GB DDR4 2133MHz USODIMM ECC

MB IO: A612D4I

HDD: 500GB 3.5 SATAIII Western Digital Desktop
7200rpm

RAID: RAID 0, 1, 5, 10

DVD: Not quoted options available

OS: Not Quoted - Option Available

GFX Output: ASPEED 2400 with VGA Outputs

LAN: Intel i210 and Intel i217LM and ASPEED IPMI 2.0

WLAN: Not Quoted - USB or PCI(e) Card option

USB Ports Rear: ASRock E3C612D4I

Serial Ports: None

Case Information

Size: 448(W)x357(D)x44.5(H)mm

Hard Disk Bays: 3x 3.5" or 8x 2.5" HDD/SSD

Optical Drive: Slimline DVD/Blu-Ray Optional

Front USB: 2x USB 3.0

Power Supply: 180W 110-230VAC

Motherboard IO Ports



Expansion Slot: **PCIe x16 (Full Height)**

Expansion Slot 2: **Not available with this case**

Expansion Slot 3: **Not available with this case**

PSU: **180W 100-240VAC 60-50Hz**

Lead time: **3 Working Days**

Noise & Efficiency

All of our PCs are noise tested and have a standard DB rating so you know exactly how loud they will be.

Energy consumption is an important factor in the ongoing cost of running a machine. We use the familiar energy ratings seen on domestic appliances for all of our products. A is most energy efficient whilst G is least efficient.

